


RENAULT

TRAFIC VAN E-TECH Electric



All types (2023 -)



	Airbag		Stored gas inflator		Seat belt pretensioner	SRS control unit	
			Gas strut / Preloaded spring		High strength zone	Zone requiring special attention	
000 000	Battery low voltage						
0 0	Battery pack, high-voltage	2	High voltage power cable	9	High voltage devi disconnects high v		

In consultation with
Liberat - Égalini - Francesiat RÉPUBLIQUE FRANÇAISE
MINISTÈRE DE L'INTÉRIEUR

Internal reference	Version	Version	Page
RS-X82 EV-2023	10/07/2023	1	1 / 4

1. Identification / recognition



2. Immobilisation / stabilisation / lifting

Immobilisation



Engine shutdown





3. Disable direct hazards / safety regulations

12 Volts Battery







- 1- Engine shutdown
- 2 Disconnect the negative terminal (-)

Esterné - Égalité - Fraternité RÉPUBLIQUE FRANÇAISE

Internal reference	Version	Version	Page
RS-X82 EV-2023	10/07/2023	1	2 / 4

400 Volts battery



Only if cutting operation is necessary:

Disconnection of the 400 Volts battery by removing the service plug.










4. Access to the occupants




Bilateral einforcements under the central consol








HARDENED STEEL





5. Stored energy / liquids / gases / solids



Lithium-ion

52 kW.h

400 V



In consultation with



Internal reference	Version	Version	Page
RS-X82 EV-2023	10/07/2023	1	3 / 4


6. In case of fire

Extinguishing a traction battery fire propagation















If traction battery on fire: → Water extinguishing by filling


GAS STRUTS







Risk of missile effect of gas struts



7. In case of submersion





No electrical hazard

8. Towing / transportation / storage













10. Explanation of pictograms used



Hybrid Electric Vehicle on fuel of liquid group 2



Remove smart key



Bonnet



Use thermal Infrared camera



Flammable



Hazardous to the human health



Environmental hazard

Electrical protection gloves



Face shield



Breathing apparatus (BA)



Use water to extinguish the fire



Don't break, nor open



In consultation with



Internal reference	Version	Version	Page
RS-X82 EV-2023	10/07/2023	1	4 / 4