




RENAULT



TRAFIC VAN E-Tech Electric

(2023 -)



	Airbag		Gas generator		Seat belt pretensioner		SRS control unit
	Low voltage battery		Gas strut / pre-loaded spring		High resistance zone		Area requiring special attention
	Battery, high voltage		High voltage power cable		High voltage component		High voltage disconnect device from high voltage battery

In consultation with



MINISTÈRE DE L'INTÉRIEUR

Internal reference

Date

Version

Page


RS-X82 EV-2023

10/06/2025

2

1 / 4

1. Identification / recognition




2. Immobilization / stabilization / lifting


Immobilization



Engine stop



No lift zone




Orange wiring area


3. Disable direct hazards / safety regulations

12 Volt battery

Engine stop
Disconnect the (-) 12V batteries





400 Volt battery




Only in the event of extrication:


Disconnect the 400 V battery by removing the service plug



4. Access to the occupants



Presence of bilateral reinforcements under the centre console



STEERING COLUMN:


hollow, fragile at the wheel




Laminated glass



Tempered glass



REINFORCED STEELS



5. Stored energy / liquids / gases / solids

	Lithium-Ion	52 kW.h	400 V	Aluminum housing
---	-------------	---------	-------	------------------

In consultation with



MINISTÈRE DE L'INTÉRIEUR

Internal reference

Date

Version

Page

RS-X82 EV-2023

10/06/2025


2

3 / 4

6. In case of fire

Extinguishing a traction battery fire




Vehicle fire without thermal runaway of the high-voltage battery	Vehicle fire with thermal runaway of the high-voltage battery
<ul style="list-style-type: none"> Extinguish the vehicle fire. Monitor the temperature of the high-voltage battery. 	<ul style="list-style-type: none"> Extinguish the vehicle fire. Extinguish the high-voltage battery fire with water through the dedicated "Fireman Access" port. Continue to cool the high-voltage battery through the "Fireman Access" port for at least 10 minutes. Contrôler l'évolution de la température de la batterie haute tension. 

GAS SPRINGS



Risk of missile effect of cylinders



7. In case of submersion




No electrical risk

8. Towing / transportation / storage



10. Explanation of pictograms used

	Electric vehicle		Specific access to extinguish the battery fire						
	Move the hands-free key away		hood	 Use an infrared thermal camera					
	Flammable		Dangerous for human health	 Environmental hazard					
	Electrical protection gloves		Face shield		Respiratory system		Use water to put out the fire		Do not break or open

In consultation with

Internal reference

Date

Version

Page

RS-X82 EV-2023

10/06/2025

2

4 / 4